































### Clinical Laboratory Director Reporting Requirements.

Reportable Disease	Immediately Report Receipt of a Specimen	Report Within 24 Hours	Report Within 1 Working Day	Report Within 5 Working Days	Submit to State Health Department
Arboviruses			①		
<i>Bacillus anthracis</i>	☛	☎			
<i>Bordetella pertussis</i>		☎			
<i>Brucella</i> spp.			①		
<i>Campylobacter</i> spp.				☒	
CD <sub>4</sub> -T-lymphocyte count of fewer than 200 per microliter of whole blood or CD <sub>4</sub> -T-lymphocyte percentage of total lymphocytes of less than 14%				☒	
<i>Chlamydia trachomatis</i>				☒	
<i>Clostridium botulinum</i> toxin (botulism)	☛	☎			
<i>Coccidioides</i> spp., by culture or serologies				☒	
<i>Coxiella burnetii</i>			①		
<i>Cryptosporidium</i> spp.				☒	
<i>Cyclospora</i> spp.			①		
Dengue virus	☛	☎			
Emerging or exotic disease agent	☛	☎			
<i>Entamoeba histolytica</i>				☒	
<i>Escherichia coli</i> O157:H7			①		
<i>Escherichia coli</i> , Shiga-toxin producing			①		
<i>Francisella tularensis</i>	☛	☎			
<i>Haemophilus influenzae</i> , type B, isolated from a normally sterile site		☎			
<i>Haemophilus influenzae</i> , other, isolated from a normally sterile site				☒	
Hantavirus				☒	
Hepatitis A virus (anti-HAV-IgM serologies)				☒	

	Immediately				Su
	Report Receipt	Report Within	Report Within	Report Within	t
Reportable Disease	of a Specimen	24 Hours	1 Working Day	5 Working Days	E
Hepatitis B virus (anti-Hepatitis B core-IgM serologies, Hepatitis B surface antigen serologies, and polymerase chain reactions)					
Hepatitis C virus					
Hepatitis D virus					
Hepatitis E virus					
HIV (by culture, antigen, antibodies to the virus, or viral genetic sequence detection)					
HIV—any test result for an infant (by culture, antigen, antibodies to the virus, or viral genetic sequence detection)					
Influenza virus				 +	
<i>Legionella</i> spp. (culture or DFA)					
<i>Listeria</i> spp., isolated from a normally sterile site			①		
Methicillin-resistant <i>Staphylococcus aureus</i> , isolated from a normally sterile site				 <sup>1</sup>	
<i>Mycobacterium tuberculosis</i> complex and its drug sensitivity pattern				 <sup>2</sup>	
<i>Neisseria gonorrhoeae</i>					
<i>Neisseria meningitidis</i> , isolated from a normally sterile site					
<i>Plasmodium</i> spp.					
Respiratory syncytial virus				 +	
<i>Salmonella</i> spp.			①		
SARS-associated corona virus					
<i>Shigella</i> spp.			①		
<i>Streptococcus</i> Group A, isolated from a normally sterile site					

	Immediately				Su
	Report Receipt	Report Within	Report Within	Report Within	t
Reportable Disease	of a Specimen	24 Hours	1 Working Day	5 Working Days	E
<i>Streptococcus</i> Group B, isolated from a normally sterile site in an infant younger than 90 days of age					
<i>Streptococcus pneumoniae</i> and its drug sensitivity pattern, isolated from a normally sterile site					
<i>Treponema pallidum</i> (syphilis)					
Vancomycin-resistant <i>Enterococcus</i> spp.					
Vancomycin-resistant or Vancomycin-intermediately susceptible <i>Staphylococcus aureus</i>			①		
Vancomycin-resistant <i>Staphylococcus epidermidis</i>			①		
Variola virus (smallpox)					
<i>Vibrio</i> spp.			①		
Viral hemorrhagic fever agent					
West Nile virus			①		
<i>Yersinia</i> spp. (other than <i>Y. pestis</i> )			①		
<i>Yersinia pestis</i> (plague)					

-  Submit a report immediately after receiving one specimen for detection of the agent. Report receipt of subsequent specimen working days after receipt.
-  Submit a report within 24 hours after obtaining a positive test result.
- ① Submit a report within one working day after obtaining a positive test result.
-  Submit a report within five working days after obtaining a positive test result or the described test result.
-  Submit isolates of the organism to the Arizona State Laboratory at least once each week, as applicable.
- ± A clinical laboratory director may report aggregate numbers of positive test results every five working days rather than submit individual reports as required in R9-6-204(B).
- <sup>1</sup> Submit a report only when an initial positive result is obtained for an individual.
- <sup>2</sup> Submit an isolate of the organism only when an initial positive result is obtained for an individual, when a change in resistance is detected, or when a positive result is obtained  $\geq 12$  months after the initial positive result is obtained for an individual.